#### SEQUENCE LISTING

- <110> Hanna, Michelle
- <120> Molecular Detection Systems Utilizing Reiterative Oligonucleotide Synthesis
- <130> 2072.0010000
- <140> US 09/984,664
- <141> 2001-10-30
- <160> 17
- <170> PatentIn version 3.0
- <210> 1
- <211> 30
- <212> DNA
- <213> Artificial
- <220>
- <223> methylated DNA template
- <220>
- <221> misc\_feature
- <222> (2)..(2)
- <223> methylation
- <220>
- <221> misc\_feature
- <222> (10)..(10)
- <223> methylation

```
<220>
```

<221> misc\_feature

<222> (26)..(26)

<223> methylation

# <400> 1

ccgcccaaac gggtccggag cgactcgtca

<210> 2

<211> 30

<212> DNA

<213> Artificial

<220>

<223> deaminated methylated DNA

<220>

<221> misc\_feature

<222> (1)..(1)

<223> n is uracil

<220>

<221> misc\_feature

<222> (4)..(6)

<223> n is uracil

<220>

<221> misc\_feature

<222> (15)..(16)

<223> n is uracil

<220>

<221> misc\_feature

30

```
<222> (21)..(21)
<223> n is uracil
<220>
<221> misc_feature
<222> (24)..(24)
<223> n is uracil
<220>
<221> misc_feature
<222> (29)..(29)
<223> n is uracil
ncgnnnaaac gggtnnggaa ngantcgtna
<210> 3
<211> 30
<212> DNA
<213> Artificial
<220>
<223> deaminated unmethylated DNA
<220>
<221> misc_feature
<222> (1)..(2)
<223> n is uracil
<220>
<221> misc_feature
```

<222> (4)..(6)

<223> n is uracil

-4-

```
<220>
```

<221> misc\_feature

<222> (10)..(10)

<223> n is uracil

## <220>

<221> misc\_feature

<222> (15)..(16)

<223> n is uracil

# <220>

<221> misc\_feature

<222> (21)..(21)

<223> n is uracil

## <220>

<221> misc\_feature

<222> (24)..(24)

<223> n is uracil

## <220>

<221> misc\_feature

<222> (26)..(26)

<223> n is uracil

### <220>

<221> misc\_feature

<222> (29)..(29)

<223> n is uracil

<400> 3

- <210> 4
- <211> 30
- <212> DNA
- <213> Artificial
- <220>
- <223> deaminated methylated DNA
- <220>
- <221> misc\_feature
- <222> (1)..(1)
- <223> n is uracil
- <220>
- <221> misc\_feature
- <222> (2)..(2)
- <223> methylation
- <220>
- <221> misc\_feature
- <222> (4)..(6)
- <223> n is uracil
- <220>
- <221> misc\_feature
- <222> (10)..(10)
- <223> methylation
- <220>
- <221> misc\_feature
- <222> (15)..(16)

<223> n is uracil

<220>

<221> misc\_feature

<222> (24)..(24)

<223> n is uracil

<220>

<221> misc\_feature

<222> (26)..(26)

<223> n is uracil

<220>

<221> misc\_feature

<222> (26)..(26)

<223> methylation

<220>

<221> misc\_feature

<222> (29)..(29)

<223> n is uracil

<400> 4 ncgnnnaaac gggtnnggaa cgantngtna

<210> 5

<211> 30

<212> DNA

<213> Artificial

<220>

<223> deaminated unmethylated DNA

-7-

<220>

<221> misc\_feature

<222> (1)..(2)

<223> n is uracil

<220>

<221> misc\_feature

<222> (4)..(6)

<223> n is uracil

<220>

<221> misc\_feature

<222> (10)..(10)

<223> n is uracil

<220>

<221> misc\_feature

<222> (15)..(16)

<223> n is uracil

<220>

<221> misc\_feature

<222> (21)..(21)

<223> n is uracil

<220>

<221> misc\_feature

<222> (24)..(24)

<223> n is uracil

<220>

- <221> misc\_feature
- <222> (26)..(26)
- <223> n is uracil
- <220>
- <221> misc\_feature
- <222> (29)..(29)
- <223> n is uracil
- <400> 5 nngnnnaagn gggtnnggaa ngantngtna
- <210> 6
- <211> 30
- <212> DNA
- <213> Artificial
- <220>
- <223> deaminated target DNA
- <220>
- <221> misc\_feature
- <222> (1)..(1)
- <223> n is uracil
- <220>
- <221> misc\_feature
- <222> (1)..(1)
- <223> methylation
- <220>
- <221> misc\_feature
- <222> (4)..(6)

<223> n is uracil

<220>

<221> misc\_feature

<222> (9)..(9)

<223> methylation

<220>

<221> misc\_feature

<222> (15)..(16)

<223> n is uracil

<220>

<221> misc\_feature

<222> (21)..(21)

<223> n is uracil

<220>

<221> misc\_feature

<222> (24)..(24)

<223> n is uracil

<220>

<221> misc\_feature

<222> (25)..(25)

<223> methylation

<220>

<221> misc\_feature

<222> (29)..(29)

<223> n is uracil

```
<400> 6
                                                                     30
ncgnnnaaac gggtnnggag ngantcgtna
<210> 7
<211> 23
<212> DNA
<213> Artificial
<220>
<223> target site probe
<220>
<221> misc_feature
<222> (10)..(23)
<223> n is any nucleotide of a, g, t or c
<220>
<221> misc_feature
<222> (10)..(23)
<223> nucleotide residues may be between 8 and 14 n's in length
<400> 7
                                                                     23
taacgaatcn nnnnnnnnn nnn
<210> 8
<211> 10
<212> DNA
<213> Artificial
<220>
<223> target site probe
<400> 8
                                                                      10
gtttaaacga
<210> 9
```

<211>	21	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	template strand	
<400> cttcta	9 tagt gtcacctaaa t	21
<210>	10	
<211>	21	
<212>	DNA	
<213>	Artificial	~
<220>		
<223>	nontemplate strand	
<400> atttag	10 gtga cactatagaa g	21
<210>	11	
<211>	12	
<212>	DNA	
<213>	Artificial	
<220>		
<223>	telomerase capture probe	
<400> gggtta	11 agggt ta	12
<210>	12	
<211>	30	
<212>	DNA	
<213>	Artificial	

```
<220>
<223> telomerase capture probe
<400> 12
                                                                    30
gggttagggt tagggttagg gttagggtta
<210> 13
<211> 24
<212> DNA
<213> Artificial
<220>
<223> telomerase capture probe
<400> 13
                                                                     24
gggttagggt tagggttagg gtta
<210> 14
<211> 24
<212> DNA
<213> Artificial
<220>
<223> complementary probe
<220>
<221> misc_feature
<222> (1)..(1)
<223> n is uracil
 <220>
 <221> misc_feature
 <222> (7)..(7)
 <223> n is uracil
```

<220>

<221>	misc_feature					
<222>	(13)(13)					
<223>	n is uracil					
<220>						
<221>	misc_feature					
<222>	(19)(19)					
<223>	n is uracil					
<400>	14	2000				24
naaccc	naac ccnaacccna	accc				
<210>	15					
<211>	3621					
<212>	DNA					
<213>	Homo sapiens					
<400>	15 tggg tctacaaggt	ttaagtcaac	cagggattga	aatataactt	ttaaacaqaq	60
	tatc cagtaggcag					120
	ttta aaacgtagta					180
	aact tttacctcct					240
	gagg gtggtggagg					300
	cttt ctttctttct					360
	caat ggcgcgatct					420
	taca tcagcctccg					480
						540
	tatt ttttagtaga					600
	tcag gtgatccgcc					660
	atcc ggactttcct					720
	tgag tcggagtctc					780
	gcaa cctctgcctc					
	attac acacgtgcgc					840
ggtgto	cacca ttttggccaa	gctggcctcg	aactcctgac	ctcaggtgat	ctgcccgcct	900

960 cggcttccca aagtgctggg attacaggtg tgagccaccg cgtcctgctc caaagcattt 1020 tetttetatg ceteaaaaca agattgeaag ceagteetea aageggataa tteaagaget 1080 aacaggtatt agcttaggat gtgtggcact gttcttaagg cttatatgta ttaatacatc 1140 atttaaactc acaacaaccc ctataaagca gggggcactc atattccctt ccccctttat 1200 aattacgaaa aatgcaaggt attttcagta ggaaagagaa atgtgagaag tgtgaaggag acaggacagt atttgaagct ggtctttgga tcactgtgca actctgcttc tagaacactg 1260 agcacttttt ctggtctagg aattatgact ttgagaatgg agtccgtcct tccaatgact 1320 1380 ccctcccat tttcctatct gcctacaggc agaattctcc cccgtccgta ttaaataaac ctcatctttt cagagtctgc tcttatacca ggcaatgtac acgtctgaga aacccttgcc 1440 1500 ccagacagcc gttttacacg caggagggga agggggggg aaggagagag cagtccgact 1560 ctccaaaagg aatcctttga actagggttt ctgacttagt gaaccccgcg ctcctgaaaa tcaagggttg agggggtagg gggacacttt ctagtcgtac aggtgatttc gattctcggt 1620 1680 ggggctctca caactaggaa agaatagttt tgctttttct tatgattaaa agaagaagcc 1740 atactttccc tatgacacca aacaccccga ttcaatttgg cagttaggaa ggttgtatcg cggaggaagg aaacggggcg ggggcggatt tctttttaac agagtgaacg cactcaaaca 1800 cgcctttgct ggcaggcggg ggagcgcggc tgggagcagg gaggccggag ggcggtgtgg 1860 1920 ggggcaggtg gggaggagcc cagtcctcct tccttgccaa cgctggctct ggcgagggct getteegget ggtgeeceeg ggggagaece aacetgggge gaetteaggg gtgeeacatt 1980 cgctaagtgc tcggagttaa tagcacctcc tccgagcact cgctcacggc gtccccttgc 2040 2100 ctggaaagat accgcggtcc ctccagagga tttgagggac agggtcggag ggggctcttc 2160 cgccagcacc ggaggaagaa agaggagggg ctggctggtc accagagggt ggggcggacc 2220 gegtgegete ggeggetgeg gagagggga gageaggeag egggeggegg ggageageat 2280 ggagccggcg gcggggagca gcatggagcc ttcggctgac tggctggcca cggccgcggc ccggggtcgg gtagaggagg tgcgggcgct gctggaggcg ggggcgctgc ccaacgcacc 2340 2400 gaatagttac ggtcggaggc cgatccaggt gggtagaggg tctgcagcgg gagcagggga 2460 tggcgggcga ctctggagga cgaagtttgc aggggaattg gaatcaggta gcgcttcgat 2520 tctccggaaa aaggggaggc ttcctgggga gttttcagaa ggggtttgta atcacagacc 2580 tectectgge gaegeeetgg gggettggga ageeaaggaa gaggaatgag gageeaegeg cgtacagatc tctcgaatgc tgagaagatc tgaagggggg aacatatttg tattagatgg 2640 aagtatgctc tttatcagat acaaaattta cgaacgtttg ggataaaaag ggagtcttaa 2700 agaaatgtaa gatgtgctgg gactacttag cctccaattc acagatacct ggatggagct 2760

tatctttc	tt	actaggaggg	attatcagtg	gaaatctgtg	gtgtatgttg	gaataaatat	2820
cgaatata	aa	ttttgatcga	aattattcag	aagcggccgg	gcgcggtgcc	tcacgccttg	2880
taatccct	tc	actttgggag	atcaaggcgg	ggggaatcac	ctgaggtcgg	gagttcgaga	2940
ccagcctg	gc	caacaggtga	aacctcgcct	ctactaaaaa	tacaaaaagt	agccgggggt	3000
ggtggcag	gc	gcctgtaatc	ccagctactc	gggaggttga	ggcaggagaa	tcgcttgaac	3060
ccgggagg	ıct	gaggttgtag	tgaacagcga	gatggagcca	cttcactcca	gcctgggtga	3120
cagagtga	ıga	ctttgtcgaa	agaaagaaag	agagaaagag	agagagaaaa	attattcaga	3180
agcaacta	ıca	tattgtgttt	atttttaact	gagtagggca	aataaatata	tgtttgctgt	3240
aggaactt	ag	gaaataatga	gccacattca	tgtgatcatt	ccagaggtaa	tatgtagtta	3300
ccattttg	199	aatatctgct	aacatttttg	ctcttttact	atctttagct	tacttgatat	3360
agtttatt	tg	tgataagagt	tttcaattcc	tcatttttga	acagaggtgt	ttctcctctc	3420
cctactcc	ctg	ttttgtgagg	gagttagggg	aggatttaaa	agtaattaat	acatgggtaa	3480
cttagcat	ct	ctaaaatttt	gccaacagct	tgaacccggg	agtttggctt	tgtagtccta	3540
caatatct	ta	gaagagacct	tatttgttta	aaaacaaaaa	ggaaaaagaa	aagtggatag	3600
ttttgacaat		ttttaatgga	g				3621
<210> 1	16						
	64						
	DNA						
		ificial					
<213> 1	ALC.	IIICIAI					
<220>							
	cap	ture probe					
<400>	16						
atatact	ggg	tctacaaggt	ttaagtcaac	: cagggattga	a aatataactt	ttaaacagag	60
ctgg							64

<210> 17

<211> 30

<212> DNA

<213> Artificial

<223> unmethylated DNA template
<400> 17
ccgcccaaac gggtccggag cgactcgtca